

Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015 Revision No: 3

Suncoast Stabilized Chlorinating Pool Sticks

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Suncoast Stabilized Chlorinating Pool Sticks

GENERAL USE: Swimming Pool Sanitizer

ACTIVE INGREDIENT(S): Trichloro-s-triazinetrione

MANUFACTURER

Suncoast Chemicals Company 6385 150th Ave. N. Clearwater, FL 33760

Emergency Contact: ChemTel, Inc. Emergency Phone: (800) 255-3924 Product Stewardship: (727) 531-8913

DISTRIBUTOR

Sun Wholesale Supply, Inc. (727) 531-8913 6385 150th Ave N. Clearwater, FL 33760

Emergency Phone: (800) 255-3924

24 HR. EMERGENCY TELEPHONE NUMBERS

Chem-Tel 24-Hour Emergency # (800) 255-3924

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Acute Toxicity (Inhalation), Category 4

Acute Toxicity (Inhalation), Category 2 * (See note below Hazard Statements)

Skin Corrosion/Skin Irritation, Category 1C

Serious Eye Damage/Eye Irritation, Category 1

Target Organ Toxicity (Single exposure), Category 3

Environmental:

Acute Hazards to the Aquatic Environment, Category 1 Chronic Hazards to the Aquatic Environment, Category 1

Physical:

Oxidizing Solids, Category 2

GHS LABEL



Flame over circle



Skull and crossbones



Corrosion



Exclamation mark



Environment

SIGNAL WORD: DANGER HAZARD STATEMENTS

H272: May intensify fire; oxidizer.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long lasting effects. 76078CJQ: H330: Fatal if inhaled. * (See note below)



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015 Revision No: 3

Suncoast Stabilized Chlorinating Pool Sticks

* NOTE: This material in the form as sold is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. *If ground or otherwise in a powdered form,* effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

PRECAUTIONARY STATEMENT(S)

Prevention:

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P285: In case of inadequate ventilation wear respiratory protection.

4304ZF6P: Wash exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P220: Keep away from combustible materials.

P271: Use only outdoors or in a well-ventilated area.

Response:

P330: Rinse mouth. P391: Collect spillage.

P370+P378: In case of fire: Use plenty of water to extinguish.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor/physician.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

Disposal:

P501: Dispose of contents/container in accordance with applicable local and federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Trichloro-s-triazinetrione	99	87-90-1

COMMENTS: Synonyms: 1,3,5-Trichloro-1,3,5-triazine-2,4,6(1H,3H,5H-trione; Trichloroisocyanuric Acid

4. FIRST AID MEASURES

EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015 **Revision No**: 3

Suncoast Stabilized Chlorinating Pool Sticks

SKIN: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES: Extinguish with large amounts of water. Do not use dry chemicals, carbon dioxide or halogenated agents.

FIRE FIGHTING EQUIPMENT: Wear self-contained breathing apparatus in pressure-demand mode and full protective gear. **HAZARDOUS DECOMPOSITION PRODUCTS:** Chlorine, nitrogen trichloride, hydrogen trichloride, nitrogen oxide, and carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Sweep up spill with a dry broom into suitable container for disposal.

RELEASE NOTES: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, or oceans Do not flush into surface water or sanitary sewer systems.

COMMENTS: Avoid inhalation and contact with eyes and skin. Use personal protective equipment.

7. HANDLING AND STORAGE

HANDLING: Wear proper protective equipment in order to avoid contact with eyes or skin. Remove and wash contaminated clothing before re-use. Do not breathe vapors/dust. Do not eat, drink or smoke when using this produt. Use only in area with appropriate exhaust ventilation.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not store with water, oxidizing agents, alkalies, grease, reducing agents and acids. Keep out of reach of children.

STORAGE TEMPERATURE: Do not store at temperatures above 140°F.

COMMENTS: Incompatible Products: Strong oxidzing agents. Strong bases.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015

Revision No: 3

Suncoast Stabilized Chlorinating Pool Sticks

EXPOSURE GUIDELINES

OSHA HAZ	OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
	EXPOSURE LIMITS							
			OSHA PEL		ACGIH TLV		SupplierOEL	
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³	
Tricklers a tricking tricks	TWA	Not Established	Not Established	Not Established	Not Established	[1]	[1]	
Trichloro-s-triazinetrione	STEL	Not Established	Not Established	Not Established	Not Established			

Footnotes:

1. The TLV for Chlorine is 0.5 ppm (1.5 mg/m3) TWA and 1ppm STEL.

ENGINEERING CONTROLS: Ventilation systems, eyewash stations, showers.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear chemical safety glasses or goggles.

SKIN: Chemical-resistant gloves.

RESPIRATORY: A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. Acid gas cartridges with N95 filters are required when fumes or vapor may be generated. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

PROTECTIVE CLOTHING: Wear impervious long-sleeved clothing to minimize skin contact.

WORK HYGIENIC PRACTICES: When using, do not eat, drink or smoke. Remove and wash contaminated clothing before reuse. Provide regular cleaning of equipment, work area and clothing.

COMMENTS: Exposure limits for Air Contaminants (OSHA)

Particulates not otherwise regulated: Total dust; TWA 15 mg/m3; Respirable fraction: TWA 5 mg/m3

Exposure Limits for Air Contaminants (ACGIH)

Particultes (insoluble or poorly soluble) - Respirable Particles: TWA 3 mg/m3; Inhalable Particles: TWA 10 mg/m3

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Solubility in Water	Specific Gravity
Trichloro-s-triazinetrione	1.28 g/100 mg @ 25 deg C	2.07

PHYSICAL STATE: Solid

ODOR: Chlorine.

APPEARANCE: White tablet.



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015 **Revision No**: 3

Suncoast Stabilized Chlorinating Pool Sticks

pH: 2.8

FLASHPOINT AND METHOD: Not Flammable

FLAMMABLE LIMITS: 0 to 0 VAPOR PRESSURE: N/A VAPOR DENSITY: N/A. BOILING POINT: N/A FREEZING POINT: N/A

MELTING POINT: 225°C (437°F) to 230°C (455°F) **SOLUBILITY IN WATER:** 1.2 g/100 mL at 25°C (77°F)

DENSITY: 17.52 at (68°F) **SPECIFIC GRAVITY:** 2.1

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Product will not undergo polymerization.

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Protect from moisture. Avoid incompatible products.

HAZARDOUS DECOMPOSITION PRODUCTS: Chlorine, nitrogen trichloride, hydrogen chloride, nitrogen oxide, carbon

monoxide, carbon dioxide, and nitrogen.

INCOMPATIBLE MATERIALS: Acid, alkali, other chlorine agents, oils/fats, and flammable materials.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)
Trichloro-s-triazinetrione	1060 to 1010 Rat 490 mg/kg.

DERMAL LD₅₀: > 2000 mg/kg (rabbit)

ORAL LD₅₀: 809 mg/kg (rat)

INHALATION LC₅₀: 0.09 to < 0.29 mg/L (4hr) Rat

Notes: This material in the form as sold is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

EYE EFFECTS: Serious eye damage. **SKIN EFFECTS:** Severe skin burns.

CARCINOGENICITY

Notes: Not classified as a carcinogen by NTP, IARC or OSHA.

REPRODUCTIVE EFFECTS: Not Available



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015 **Revision No**: 3

Suncoast Stabilized Chlorinating Pool Sticks

TARGET ORGANS: Breathing dust or fumes is expected to be a primary route of exposure. May produce throat and respiratory tract irritation.

MUTAGENICITY: AMES Test: Negative (*Test substance: monosodium cyanurate*)

Mouse Lymphoma Assay: Negative (Test substance monosodium cyanurate)

12. ECOLOGICAL INFORMATION

BIOACCUMULATION/ACCUMULATION: This product is not expected to bioaccumulate.

AQUATIC TOXICITY (ACUTE)

96-HOUR LC₅₀: 0.22 mg/L (Oryzias latipes)

CHEMICAL FATE INFORMATION: Decomposable in nature.

0% by BOD after 14 days. 7.8% by TOC after 14 days. 5.3% by HPLC after 14 days.

100% in aerobic activated sludge after 8 hours. 100% in anaerobic sludge after 72 hours. 52% - 100% in aerobic activated sludge after 9-23 days.

COMMENTS: Do not dispose of wastes into garbage can or garbage dump. This may cause a fire.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with applicable local, state, and federal regulations.

RCRA/EPA WASTE INFORMATION: If this product becomes a waste, it DOES meet the criteria of a hazardous waste as defined under 40 CFR 261 with the following EPA hazardous waste number: D001

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Trichloroisocyanuric Acid Dry

PRIMARY HAZARD CLASS/DIVISION: 5.1

UN/NA NUMBER: UN 2468

PACKING GROUP: II

NAERG: 140

LABEL: 5.1 Oxidizer

SPECIAL SHIPPING NOTES: DOT Special Provisions: IB8, IP4, T3, TP33

Packaging Exceptions: 152

Nonbulk: 212 Bulk: 240

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks

Date Revised: 08/24/2015

Revision No: 3

Suncoast Stabilized Chlorinating Pool Sticks

313 REPORTABLE INGREDIENTS: No reportable chemicals.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Not listed.

CERCLA RQ: Not listed.

REPORTABLE SPILL QUANTITY: N/A (for chlorine RQ=10)

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All ingredients in this mixture are in compliance with TSCA.

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS: CAS No. 87-90-1

REGULATIONS

STATE REGULATIONS: The ingredient for CAS #87-90-1 is listed on the following state lists:

Massachusetts Right To Know Hazardous Substances List New Jersey Worker and Community Right to Know Act

Pennsylvania Hazardous Substance List

CALIFORNIA PROPOSITION 65: Not Applicable

CLEAN WATER ACT: No regulated ingredients reportable under the Clean Water Act.

CARCINOGEN: Not Applicable

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Below you will find the hazard information that is required on the EPA pesticide label.

GENERAL COMMENTS: HAZARD INFO FOUND ON TRICHLOROISOCYANURIC ACID LABEL:

DANGER. Hazards to humans and domestic animals.

Corrosive.

Causes irreversible eye damage or skin burns.

May be fatal if absorbed through skin.

May be fatal if inhaled.

Irritating to nose and throat.

Harmful if swallowed.

Strong oxidizing agent.

Toxic to fish and aquatic organisms.

16. OTHER INFORMATION

Date Revised: 08/24/2015

REVISION SUMMARY: This SDS replaces the 09/04/2014 SDS. Revised: **Section 2:** CANCER STATEMENT, MEDICAL CONDITIONS AGGRAVATED, ROUTES OF ENTRY. **Section 3:** COMMENTS. **Section 4:** INGESTION, INHALATION,



Date Prepared: 01/06/2011

SDS No.: 084 Suncoast Stabilized Chlorinating Pool Sticks


 $\textbf{Date Revised}:\ 08/24/20\,15$

Revision No: 3

Suncoast Stabilized Chlorinating Pool Sticks

NOTES TO PHYSICIAN, SIGNS AND SYMPTOMS OF OVEREXPOSURE (INGESTION, INHALATION, SKIN.), SKIN. Section 5: COMMENTS, FIRE FIGHTING EQUIPMENT, HAZARDOUS DECOMPOSITION PRODUCTS. Section 6: AIR SPILL, COMMENTS, RELEASE NOTES, SMALL SPILL, WATER SPILL. Section 7: COMMENTS, GENERAL PROCEDURES, HANDLING, STORAGE. Section 8: ENGINEERING CONTROLS, PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORY, PROTECTIVE CLOTHING), WORK HYGIENIC PRACTICES. Section 9: BOILING POINT, FREEZING POINT, MELTING POINT, SOLUBILITY IN WATER, SPECIFIC GRAVITY, VAPOR DENSITY, VAPOR PRESSURE, (VOC). Section 10: CONDITIONS TO AVOID, HAZARDOUS DECOMPOSITION PRODUCTS, INCOMPATIBLE MATERIALS, STABILITY. Section 11: ACUTE (INHALATION LC50 (rat), INHALATION LC50 (rat), INHALATION LC50 (rat)), EYE EFFECTS, MUTAGENICITY, REPRODUCTIVE EFFECTS, SKIN EFFECTS, TARGET ORGANS. Section 12: CHEMICAL FATE INFORMATION, COMMENTS, AQUATIC TOXICITY (ACUTE) (48-HOUR EC50, 96-HOUR LC50, 48-HOUR EC50, Notes). Section 15: CHRONIC, CLEAN WATER ACT, PRESSURE GENERATING, 313 REPORTABLE INGREDIENTS, 29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS.

HMIS RATING	
HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	1
PERSONAL PROTECTION	F



MANUFACTURER DISCLAIMER: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).